





Design





I
Telaio in alluminio con verniciatura a polveri
colore inox. Viteria in acciaio inox e componenti
in nylon colore bianco.

UK
Aluminium Inox coated frame. Stainless steel
crews and components in white nylon.

D
Alugestell mit Pulverbeschichtung Farbe Inox.
Edelstahlschrauben und Zubehoer aus weissen
Nylon.

F
Armature en aluminium avec vernis couleur Inox.
Visserie en inox et composants en nylon blanc.

E
structura de aluminio con pintura color inox.
Tornillo de aciere inox y componentes de nylon
blanco.

NL
Het frame met, roestvrij staallook schilderij.
Schroeven van RVS, overige bewegende delen zijn
van nylon.



LECCE - ITALY

	COD	MEASURES	CHARACTERISTICS							FINISHING		COLOUR RANGE ACRYL 350 GR PAG.105		OPTIONAL					
			KG	M ²								A1S	A1N		BASES - PAG.88/92			GROUND FIXING PAG.88/97	
3,0	C3000MAS		12	0,09	50	ALU INOX	8	ALU INOX	18x30	●	●			●	BF6565Z	BC35A4 BC55MA4	BC151GRA4	BTC +BTT55	CP3030ZS +BTT55
2,0x2,0	C2020MAS		10	0,09	40	ALU INOX	4	ALU INOX	18x30	●	●			●	BF6565Z	BC35A4 BC55MA4	BC151GRA4	BTC +BTT45	CP3030ZS +BTT45

👁 PAG. 98: VERIFICA LA STABILITÀ - CHECK STABILITY - VÉRIFIEZ LA STABILITÉ - STABILITÄT PRÜFEN - COMPRUEBE LA ESTABILIDAD - CONTROLEER DE STABILITEIT