


woodline
shade solutions

INOX UMBRELLA
316 stainless-steel
ASSEMBLY INSTRUCTIONS



CONTENTS LIST

1 X UMBRELLA FRAME 	PACKED
1 X COVER BAG 	PACKED
1 X COVER BAG STICK 	

CANOPY BAG

	1 X CANOPY	PACKED
	LOXX SPANNER	PACKED


PACKED BY: _____ DATE: _____

CHECKED BY: _____ DATE: _____


***NOTE:**

You may have purchased one of three bases for mounting the umbrella. The components comprising the base mount system are in separate boxes from the umbrella. Locate your base mount system boxes, and assemble the base system prior to removing the umbrella from the protective plastic bag.


For alternative base options please view www.woodlineshade.com



Concrete Slab Base



Round Metal Base



Square Metal Base


woodline

shade solutions



INOX CENTER POLE UMBRELLA

316 stainless-steel

CORRECT PLACEMENT



- A** Canopy size:
 Round – size is measured from tip to tip through the center
 Square – size is measured from tip to tip on one side
 Rectangle – size is measured from tip to tip on long side and short side
- B** Height of structure
- C** Head clearance from arm tip
- D** Minimum width
- E** Ground clearance when closed
- G*** Maximum length of rotation
- Rotation point




model	shape		A (size)	B	C	D	E	G*
IX27RSS	Round 6 arms		8'10" 2.7 m	8'3" 2.52 m	6'7" 2.0 m	7'5" 2.25 m	3'8" 1.12 m	NA
IX30RSS	Round 6 arms		10'0" 3.0 m	8'3" 2.52 m	6'5" 1.96 m	8'2" 2.48 m	3'3" .99 m	NA
IX20SSS	Square 4 arms		6'7" 2.0 m	8'3" 2.52 m	6'5" 1.96 m	NA	3'3" .99 m	9'4" 2.85 m
IX25SSS	Square 4 arms		8'2" 2.5 m	8'3" 2.52 m	6'2" 1.87 m	NA	2'5" .74 m	11'1" 3.38 m

* This distance is measured from the pivot point to the farthest distance from this point on the umbrella. The distance defines the radius of the circle created as the umbrella rotates 360 degrees.


All vertical measurements are taken from the ground level, including concrete slab base.

All imperial measurements have been converted from metric and are rounded to the nearest inch. For exact dimensions refer to metric measurements.


TO OPEN THE UMBRELLA




1) Hold the rope towards its end and begin to firmly pull in a downwards direction to start opening the umbrella canopy.



2) Continue to pull downwards while stepping back to allow for enough space so that the canopy can fully open without obstruction.




3) Once the canopy is fully open you simply lock the rope by pressing it firmly into the cleat with while retaining downward pressure on the rope.




4) Once the rope is held firmly in place by the cleat the excess can be neatly coiled and placed into the rope clip using the LOXX fastener.


TO CLOSE THE UMBRELLA




1) Release the rope from the cleat by pulling the rope towards you until it is free.



2) Reduce thumb pressure to allow the rope to slowly slide upwards as the canopy lowers itself.




3) Allow the rope to be pulled upwards as the canopy structure slowly closes, stepping back to allow space for the canopy to close.



4) The canopy will lower itself completely under its own gravity as you release the rope and allow it to feed upwards into the pulley system.

CANOPY FOLDING INSTRUCTIONS


- 1 In order to avoid the canopy fabric from being jammed between the frame components, it is important to pull the fabric out from the umbrella structure by putting a finger under the edge of the canopy and pulling the fabric outwards. Do this for all the panels and fold the panels over each other like you would with a hand-held umbrella.
- 2 Tie the canopy strap tightly otherwise the canopy can move in wind conditions and get damaged through rubbing.
- 3 Place cover bag over umbrella for extra protection to prolong the life and preserve the color of the canopy.
- 4 For extra protection always ensure your umbrella is in a dry condition before closing and applying the cover bag.




HOW TO FIT YOUR COVER BAG CORRECTLY

COVER STICK
HOLDER POUCH
FOR STORAGE
OF COVER BAG
STICK WHEN
THE UMBRELLA
IS CLOSED


- 1 Lay out the cover bag flat on a table with the zip totally opened.



- 2 Insert the supplied cover bag stick inside the bag all the way to the top, lift up the cover bag vertically and place it gently up and over the top of your closed umbrella.



- 3 Lower it into position and zip it closed. Cover bag stick can be placed in the special pouch within the cover bag for safe keeping.



CARE AND MAINTENANCE

Every Woodline shade solution is meticulously engineered to maximize not just their form and functions, but also to make sure that they outlast even the harshest conditions. Each item is crafted from the finest marine grade weather-resistant materials, specifically selected for their ability to endure. Though our shade solutions are built to last, the relentless and extreme nature of the outdoors dictates that proper care and maintenance will always extend the lifespan of any item.

FRAMES

Constructed from the finest quality aluminum, high grade stainless steel and durable and sustainable eucalyptus timber. Our frames have been tested in some of the world's most inhospitable environments and have only ever benefited from the appropriate application of caution and common sense in excessive wind conditions.

We advocate the use of our cover bags to prolong the life of the canopy frames and their covering fabrics. We recommend the closure and safe storage of any collapsible and removable components when the parasol is not in use or when winds are expected to exceed 24.8 mph (40 km/h).

WOODEN COMPONENTS

We only use sustainable eucalyptus timber hand-picked for its strength, weather-resistance, and replenishment efficiency from the world's finest FSC-accredited plantations and timber mills. Our wooden components are treated with marine yacht varnish to fortify them for outdoor living.

We recommend the periodic care of wooden components with a light sanding and reapplication of the varnish coating once a year to maintain the natural beauty of the wood.



FITTINGS

All fittings, nuts, bolts, pulleys and cleat components are made with high grade stainless steel and weatherproof nylon. Maintaining these fittings and components is imperative to the longevity and the proper operation of the shade system. A simple occasional fresh water rinsing will help keep them working well and looking good.

BASES

It is essential to pick the right base for your parasol, talk to our sales team to ensure that the parasol you choose has the appropriate base to keep it anchored properly.

FABRICS

Our canopies and fabric covers are made from the most durable, colorfast, and dirt-repellent fabrics in the world. That said, proper care such as storage when not in use and cleaning from time to time will undoubtedly extend their lifespan.



UV RESISTANT



WATER/STAIN RESISTANT



BREATHABLE



MOLD RESISTANT



EASY CARE



PROTECTS FROM UV

WIND GUIDELINES

*The umbrella should always be closed during very windy conditions. As with all umbrellas, common sense wind guidelines prevail: if it is too windy to enjoy sitting outside under the umbrella, the umbrella structure should be lowered, folded and secured with the strap.

*When unattended, the umbrella structure should always be left in the closed position with the canopy folded properly, securely strapped with the cover bag placed over the umbrella.

*The umbrella structure must always be lowered, properly folded and strapped during heavy rains, thunderstorms, hail or any other severe weather conditions. Always anticipate to give time to properly fold the canopy, as during severe conditions if not folded properly, the fabric may become damaged.

*If very extreme weather conditions are anticipated, the umbrella structure should first be lowered, folded properly, strapped and placed in the cover bag. Then the entire umbrella structure should be removed from the base and stored in a clean, dry location.

www.woodlineshade.com | +1 848 266 0800