

# woodline

---

shade solutions







# Easilift

aluminum & stainless steel

Available in these shapes & sizes:

\* Dimensions may be rounded off to the nearest foot



## round / 8 ribs

feet / meters  
8.9 / 2.7

1.9 inch pole Ø

Code: EA27RAS

11.5 / 3.5

1.9 inch pole Ø

Code: EA35RAS



## square / 8 ribs

feet / meters  
8.2 / 2.5

1.9 inch pole Ø

Code: EA25SAS

9.4 / 2.85

1.9 inch pole Ø

Code: EA285SAS

Featuring a concealed automatic raising system designed for effortless operation, with the canopy automatically locking in position once fully opened. No locking pin, ropes, pulleys or cranks are used, resulting in a sleek, modern design with maximum efficiency. To open, simply lift an arm until the Easilift system takes over, automatically raising the umbrella until it is totally open. To close simply pull down on the sliding hub until the Easilift system takes over, closing the umbrella automatically (*Patent Pending*).



Pole and structure constructed from natural anodized aluminum. Upper and lower hubs are a combination of aluminum, stainless steel and ABS, while the top dome, LOXX fasteners and connecting brackets are all made from stainless steel.





# Easilift

---

With a unique automatic raising system for effortless operation

---

**Wind Rating:** Moderate Wind

**Application:** Patios, restaurants, hotels, poolside loungers... areas that require a moderate wind tolerance with an effortless opening and closing function.



*Closed and strapped*

*Closed with cover bag*



*The sliding lower hub is made of a combination of stainless steel, aluminum and polymer*




*Polymer end caps with stainless steel LOXX canopy fasteners*



*Top dome made from solid stainless steel for strength and longevity*



*9'4" square model with Square Metal Plate Base*



*Stainless steel rib connectors*



*Polymer finial color matches the rib end cap and hubs*